



Health
Canada

Santé
Canada

Your health and
safety... our priority.

Votre santé et votre
sécurité... notre priorité.

Eating Well with Canada's Food Guide

First Nations, Inuit and Métis



How to use Canada's Food Guide

The Food Guide shows how many servings to choose from each food group every day and how much food makes a serving.


| | Recommended Number of Food Guide Servings per day | | | |
|--|---|-------------------------|---|---|
| | Children 2-3 years old | Children 4-13 years old | Teens and Adults (Females) | Teens and Adults (Males) |
| Vegetables and Fruit Fresh, frozen and canned. | 4 | 5-6 | 7-8 | 7-10 |
| Grain Products | 3 | 4-6 | 6-7 | 7-8 |
| Milk and Alternatives | 2 | 2-4 | Teens 3-4 Adults (19-50 years) 2 Adults (51+ years) 3 | Teens 3-4 Adults (19-50 years) 2 Adults (51+ years) 3 |
| Meat and Alternatives | 1 | 1-2 | 2 | 3 |

1. Find your age and sex group in the chart below.
2. Follow down the column to the number of servings you need for each of the four food groups every day.
3. Look at the examples of the amount of food that counts as one serving. For instance, 125 mL (1/2 cup) of carrots is one serving in the Vegetables and Fruit food group.

What is one Food Guide Serving?

Look at the examples below.

Eat at least one dark green and one orange vegetable each day. Choose vegetables and fruit prepared with little or no added fat, sugar or salt. Have vegetables and fruit more often than juice.



Make at least half of your grain products whole grain each day. Choose grain products that are lower in fat, sugar or salt.



Drink 500 mL (2 cups) of skim, 1% or 2% milk each day. Select lower fat milk alternatives. Drink fortified soy beverages if you do not drink milk.



Have meat alternatives such as beans, lentils and tofu often. Eat at least two Food Guide Servings of fish each week.* Select lean meat and alternatives prepared with little or no added fat or salt.



When cooking or adding fat to food:

- Most of the time, use vegetable oils with unsaturated fats. These include canola, olive and soybean oils.
- Aim for a small amount (2 to 3 tablespoons or about 30-45 mL) each day. This amount includes oil used for cooking, salad dressings, margarine and mayonnaise.
- Traditional fats that are liquid at room temperature, such as seal and whale oil, or ooligan grease, also contain unsaturated fats. They can be used as all or part of the 2-3 tablespoons of unsaturated fats recommended per day.
- Choose soft margarines that are low in saturated and trans fats.
- Limit butter, hard margarine, lard, shortening and bacon fat.

*Health Canada provides advice for limiting exposure to mercury from certain types of fish. Refer to www.healthcanada.gc.ca for the latest information. Consult local, provincial or territorial governments for information about eating locally caught fish.

Respect your body... Your choices matter


Following Canada's Food Guide and limiting foods and drinks which contain a lot of calories, fat, sugar or salt are important ways to respect your body. Examples of foods and drinks to limit are:

- pop
- fruit flavoured drinks
- sweet drinks made from crystals
- sports and energy drinks
- candy and chocolate
- cakes, pastries, doughnuts and muffins
- granola bars and cookies
- ice cream and frozen desserts
- potato chips
- nachos and other salty snacks
- french fries
- alcohol

People who do not eat or drink milk products must plan carefully to make sure they get enough nutrients.

The traditional foods pictured here are examples of how people got, and continue to get, nutrients found in milk products. Since traditional foods are not eaten as much as in the past, people may not get these nutrients in the amounts needed for health.

People who do not eat or drink milk products need more individual advice from a health care provider.



Women of childbearing age

All women who could become pregnant, and pregnant and breastfeeding women, need a multivitamin with folic acid every day. Pregnant women should make sure that their multivitamin also contains iron. A health care provider can help you find the multivitamin that is right for you.

When pregnant and breastfeeding, women need to eat a little more. They should include an extra 2 to 3 Food Guide Servings from any of the food groups each day.

For example:

- have dry meat or fish and a small piece of bannock for a snack, or
- have an extra slice of toast at breakfast and an extra piece of cheese at lunch.

Women and men over the age of 50

The need for vitamin D increases after the age of 50.

In addition to following Canada's Food Guide, men and women over the age of 50 should take a daily vitamin D supplement of 10 µg (400 IU).

For strong body, mind and spirit, be active every day.



This guide is based on *Eating Well with Canada's Food Guide*.

For more information, interactive tools or additional copies visit Canada's Food Guide at: www.healthcanada.gc.ca/foodguide

or contact: Publications • Health Canada • Ottawa, Ontario K1A 0K9 • E-Mail: publications@hc-sc.gc.ca • Tel.: 1-866-225-0709 • TTY: 1-800-267-1245 • Fax: (613) 941-5366

Également disponible en français sous le titre : Bien manger avec le Guide alimentaire canadien - Premières Nations, Inuit et Métis

This publication can be made available on request on diskette, large print, audio-cassette and braille.